

Training Manual

Reporting and Recording Documentation for Monitoring Immunization Work in Georgia

Level 1: Providers of Immunization Services

Fourth Edition, October 2004

Prepared by:

Ministry of Labor, Health and
Social Affairs of Georgia

National Center for Disease
Control

*With technical support provided
by:*

Partners for Health Reform*plus*
Curatio International Foundation



Ministry of Labor, Health
and Social Affairs
National Center for Disease
Control and Medical Statistics



Curatio
International
Foundation



PHR*plus*

Partners for Health Reform*plus*



Abt Associates Inc. ■ 4800 Montgomery Lane, Suite 600
Bethesda, Maryland 20814 ■ Tel: 301/913-0500 ■ Fax: 301/652-3916

In collaboration with:

Development Associates, Inc. ■ Emory University Rollins School of Public
Health ■ Philoxenia International Travel, Inc. ■ Program for Appropriate
Training in Health ■ Social Sectors Development Strategies, Inc. ■
Training Resource Group ■ Tulane University School of Public
Health and Tropical Medicine ■ University Research Co., LLC.



Funded by:
U.S. Agency for International Development

Order No. TK 007R1



Mission

Partners for Health Reformplus is USAID's flagship project for health policy and health system strengthening in developing and transitional countries. The five-year project (2000-2005) builds on the predecessor Partnerships for Health Reform Project, continuing PHR's focus on health policy, financing, and organization, with new emphasis on community participation, infectious disease surveillance, and information systems that support the management and delivery of appropriate health services. PHRplus will focus on the following results:

- ▲ *Implementation of appropriate health system reform.*
- ▲ *Generation of new financing for health care, as well as more effective use of existing funds.*
- ▲ *Design and implementation of health information systems for disease surveillance.*
- ▲ *Delivery of quality services by health workers.*
- ▲ *Availability and appropriate use of health commodities.*

This document was produced by PHRplus with funding from the US Agency for International Development (USAID) under Project No. 936-5974.13, Contract No. HRN-C-00-95-00024 and is in the public domain. The ideas and opinions in this document are the authors' and do not necessarily reflect those of USAID or its employees. Interested parties may use the report in part or whole, providing they maintain the integrity of the report and do not misrepresent its findings or present the work as their own. This and other HFS, PHR, and PHRplus documents can be viewed and downloaded on the project website, www.PHRplus.org.

Fourth Edition, October 2004

Recommended Citation

Ministry of Labor, Health and Social Affairs of Georgia and National Center for Disease Control. October 2004. *Training Manual: Reporting and Recording Documentation for Monitoring Immunization Work in Georgia – Level 1: Providers of Immunization Services*. Fourth Edition. Bethesda, MD: The Partners for Health Reformplus Project, Abt Associates Inc.

For additional copies of this report, contact the PHRplus Resource Center at PHR-InfoCenter@abtassoc.com or visit our website at www.PHRplus.org.

Contract/Project No.: HRN-C-00-00-00019-00

Submitted to: USAID/Caucasus

and: Karen Cavanaugh, CTO
Health Systems Division
Office of Health, Infectious Disease and Nutrition
Center for Population, Health and Nutrition
Bureau for Global Programs, Field Support and Research
United States Agency for International Development

Abstract

The fourth edition of the training manual for health care providers is a comprehensive compendium of the Georgia immunization program documentation for the facility level. It contains revised (based on the new immunization calendar and the feedback from MIS users across the country) recordkeeping and reporting requirements of the Ministry of Labor, Health and Social Affairs (MoLHSA) and the National Center for Disease Control; guidelines for immunization data analysis and utilization; and materials for monitoring and evaluating the immunization system and provider performance. The Ministry of Labor, Health and Social Affairs has developed these guidelines for nationwide implementation. They are approved by MoLHSA Decree # 122/n.

The manual is designed primarily for personnel in health care facilities that deliver immunization services. Materials in the section on the evaluation of work at immunization points can be used both by facilities, to guide them through self-evaluations, and by rayon centers of public health, to monitor and supervise facility work.

The worksheets for monitoring of immunization work that are recommended in this manual are illustrative. A full set of worksheets has been published in a separate workbook.

Table of Contents

Acronyms	ix
Contributors.....	xi
Acknowledgments	xiii
1. Recordkeeping and Reporting Documentation.....	1
Record Book for Registering Children by Year of Birth (Record Book 1.1).....	2
Population by Age Report (Form 1.2).....	5
Prospective Plan for Immunizations for the Next Year (Form 1.3).....	7
Exchange Card of a Newborn (Form 113)	10
Child Development History (Form 112).....	11
Immunization Record (Form 063).....	11
Record Book for Monthly Planning and Registering of Immunizations (Record Book 1.4)	13
Record Book for Long-term (More than 1 Month), Constant Contraindications and Refusals (Record Book 1.5)	16
Record Book for Vaccine, Syringe, and Safety Box Flow (Record Book 1.6)	18
Temperature Registration Record (Form 1.7)	20
Report on Immunization Practice (Form 1.8).....	22
2. Submission of the Reporting Documentation.....	27
3. Monitoring System	29
Monitoring of DTP-3 Coverage of Children Under 1 Year.....	30
Vaccine Usage Indicator.....	33
Monitoring of the Percentage of Children with Contraindications to DTP and Refusals	36
4. Evaluating Facility-Level Performance/ Providers.....	39

List of Record Books and Forms

Record Book 1.1: Register of Children by Year of Birth	3
Form 1.2: Population by Age Report.....	6
Form 1.3: Prospective Plan for Immunizations for the Next Year	8
Form 063: Immunization Record.....	12
Record Book 1.4: Record Book for Monthly Planning and Registration of Immunizations	14
Record Book 1.5: Record Book for “Long-term” (More than 1 Month), Constant Contraindications and Refusals	17

Record Book 1.6: Record Book for Vaccine, Syringe, and Safety Box Flow	19
Form 1.7: Temperature Registration Record	21
Monitoring of DPT-3 Coverage of Children Under 1 Year	31
Worksheet on the Use of DPT Vaccine	34
Monitoring of Percentage of Children with Contraindications to DTP and Refusals.....	38
Performance Evaluation Checklist for Immunization Providers	39
Evaluation of the Work of Immunization Facilities.....	42

Acronyms

BCG	Bacillus, Calmette and Guerin Vaccine
CPH	Center for Public Health
CIF	Curatio International Foundation
CMSI	Center for Medical Statistics and Information
DoB	Date of Birth
DT	Diphtheria and Tetanus Toxoid combination
DPT	Diphtheria, Pertussis and Tetanus vaccine
FAP	Feldsher & Midwife Station
MIS	Management Information System
MMR	Measles, Mumps and Rubella vaccine
MoLHSA	Ministry of Labor, Health and Social Affairs
NCDC	National Center for Disease Control
PATH	Program for Appropriate Technology in Health
PAU	Polyclinic Ambulatory Unit
PHR<i>plus</i>	Partners for Health Reform <i>plus</i> Project
TB	Tuberculosis
Td	Tetanus and Diphtheria Toxoid
USAID	United States Agency for International Development

Contributors

This manual has been prepared by the Ministry of Labor, Health and Social Affairs (MoLHSA) expanded working group headed by P. Imnadze, Director of the National Center for Disease Control (NCDC), with technical assistance received from USAID/PHR*plus* and Curatio International Foundation.

The working group also included the following:

<i>Levan Baramidze</i>	Head of the Public Health Department, MoLHSA
<i>Paata Imnadze</i>	Director, NCDC
<i>Levan Baidoshvili</i>	Immunization Program Coordinator, NCDC
<i>Manana Tsintsadze</i>	Deputy Director, NCDC
<i>Marina Shakh-Nazarova</i>	Head, Data Analysis & Presentation Division, NCDC,
<i>Lia Djabidze</i>	Head, Immunization Department, NCDC
<i>Tamar Sulkhanishvili</i>	Immunization Department, NCDC
<i>Khatuna Zakhashvili</i>	Head, Surveillance Unit, NCDC
<i>Nona Beradze</i>	Surveillance Unit, NCDC
<i>Gia Chirakadze</i>	Deputy Head, Public Health Department, MoLHSA
<i>Ketevan Galdavdze</i>	Chief Specialist of Surveillance Division, Public Health Department, MoLHSA
<i>Tamar Dolakidze</i>	Medical Director, Vishnevskaya-Rostropovich Foundation, Georgia
<i>Neli Khizanishvili</i>	Director, Kakheti Regional Public Health Center
<i>Lili Zautashvili</i>	Deputy Director, Kakheti Regional Public Health Center
<i>Merab Sepashvili</i>	Director, Kvareli Rayon Public Health Center
<i>Nunu Nozadze</i>	Director, Lagodekhi Rayon Public Health Center
<i>Marina Okroshidze</i>	Director, Lagodekhi Rayon Children's Polyclinic
<i>Lela Otarashvili</i>	Director, Sagarejo Rayon Public Health Center
<i>Maia Ilauri</i>	Epidemiologist, Sagarejo Rayon Public Health Center
<i>Niko Aivazashvili</i>	Chief Doctor, Polyclinics-Ambulatory Unit, Telavi
<i>Natela Tsikaradze</i>	Doctor/Statistician, Polyclinics-Ambulatory Unit, Telavi
<i>Ketevan Gelashvili</i>	Deputy Director, Telavi Rayon Public Health Rayon Center
<i>Ketino Rostomashvili</i>	Doctor/Statistician, Children's Polyclinic in Telavi
<i>Tamriko Sisauri</i>	Statistician, Telavi Rayon Public Health Center
<i>Dali Kobuladze</i>	Deputy Director, Imereti Regional Public Health Center
<i>Tamar Maskharashvili</i>	Director, Zestaphoni Rayon Children's Polyclinic

Acknowledgments

The MoLHSA of Georgia and the Working Group are grateful to the *U.S. Agency for International Development (USAID/Caucasus)* for the opportunity to realize plans on elaboration and introduction of the new information system as well as to *PHRplus* and the *Curatio International Foundation* for their support and technical assistance in this process.

The production of this manual was funded by USAID under the prime contract No. HRN-C-00-00-00019-00 and subcontract No. 02-011-HPSS-7544.

The names, addresses, and immunization records shown in forms in this publication do not refer to real persons and are used for illustrative purposes only.

1. Recordkeeping and Reporting Documentation

This chapter explains the various immunization documentation and reporting requirements that providers of immunization services must complete and file with the appropriate health facilities. Each section explains how the immunization record book, or form, should be completed, where data can be found to complete the form, who is responsible for completing it, and when the form should be filed. This reporting documentation applies to Feldsher and midwife stations, village ambulatories, pediatric and therapeutic districts of polyclinics, and maternity houses.

Record Book for Registering Children by Year of Birth (Record Book 1.1)

Purpose of the Record Book

The Record Book for Registering Children by Year of Birth (1.1) facilitates the registration process of all pregnancies and the child population in the catchment area of the village ambulatory, polyclinic, or any health facility in the country. Also it has broader application in overall statistical reporting that facilities have to carry out according to Georgian regulations. This record book replaces the journal (a list of children) the facility currently uses to register children, and it should become the only registry for child population in the catchment area.

Responsible Person(s)

Facility head or district doctor prepares this record book with the help and support of a district or facility nurse. Only children residing in the catchment area of the doctor/nurse are registered in this record book.

Registering Children by Year of Birth

The record book for registering children under 15 years of age (0-14 years, 11 months, 29 days) (1.1) is filled out annually, on the basis of a census performed in September-October, and upon a child's birth, death, departure from the catchment area, or arrival at a health care facility. Dates of censuses are recorded at the end of the book.

The census is aimed at identifying ALL children in the catchment area; the children should be included in the registry irrespective of availability of birth certificate or health insurance policy.

Children's records in record book 1.1 are grouped by year of birth starting from the oldest age group (1990, 1991, 1992, etc.); each age group (year) has its own page in the record book.

Every newborn or child moving into a district should be registered in the record book (1.1) in accordance with his or her year (date) of birth under a *unique registration number*. This unique number is structured in the following way: the first two digits of the registration number represent the last two digits of the child's year of birth (for instance, "04" for a child born in 2004); the second two digits represent the order in which the child was recorded in the book. Numbering starts at the beginning of each year.

For example, the registration number "04/03" signifies that the child was born in 2004 and was the third child in the catchment area in 2004 to be recorded by the doctor/facility in the Record Book for Registering Children by Year of Birth (1.1). This registration number should also be written on all other children's records: forms 112 and 063, and in the Record Book for Monthly Planning and Registration of Immunizations (1.4). Children's registration numbers may contain a health district number (e.g., D1-04/01) should a health care catchment area be divided into various service districts.

If a child arrives with his or her own forms (112, copy of 063) on which a registration number is already stated, the health worker should assign a new number in sequence with the numbers in the facility record book (1.1) and use this new registration number on these forms.

Record Book 1.1: Register of Children by Year of Birth

Reg. #	Name	DoB	Address	Place of birth		Enrolled children		Birth certificate yes/no	Health insurance #	Other insurance (private insurance) #	Arrived/ Departed (date, from/to)
				hospital	home	pre-school	school				
04/01	<i>Iashvili Irakli</i>	<i>02.01.2004</i>	<i>5 Abashidze St.</i>	✓							
04/02	<i>Inauri Nino</i>	<i>11.03.2004</i>	<i>17 Kekelidze St.</i>		✓						
04/03	<i>Gvensadze Eka</i>	<i>26.04.2004</i>	<i>2 Paliashvili St.</i>	✓							
...											

- ❖ Filled in annually, on the basis of the census, in September-October and upon children's birth, death, or arrival or departure from the health care facility.
- ❖ Children are grouped by year of birth (1990, 1991 etc.). Each group (year) has its own page in the record book.
- ❖ Registration number of a child is also written on all other record forms (112, 063) and in the monthly immunization plan (1.4).
- ❖ If a child arrives with his own forms (112, copy of 063), a health worker should write the child's new registration number on all these forms. The new number incorporates the current calendar year and the next sequential number in the registration list (ordinal number).
- ❖ Once a year the Population by Age report (1.2) is compiled on a basis of this record book.
- ❖ All children must be included in the list irrespective of existence of birth certificate or health insurance.

In the columns under “Place of Birth,” specific cells are marked under the respective column based on where the child was born: “at home” or “at maternity.” It is critical to adequately identify the child based on his or her birthplace for follow-up immunizations. Health workers should mark the respective columns for children in this age group who are either organized in the orphanages or attend school/preschool.

The date a child leaves or arrives at the health care facility catchment area should be stated in the column “arrived/left.” Whenever possible, one should also indicate the address where the child came from or is returning to. Children who came to the territory for a period of four months or more should be registered, and those who have left the territory for one year or more should be removed from the list. In a case where a child either moves to another area for permanent residence or dies,¹ his or her sequential number will remain and will not be assigned to another child.

Relation to Other Forms/Journals

The following table illustrates how the information in the Record Book for Registering Children by Year of Birth (1.1) provides specific information needed in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information	Type of Information
Any record that mother presents about child prepared by other health facilities (Form 113, 112, etc.)	All details about child	Record book 1.1	Form 1.2 Population by Age Report Timeliness section of the monthly report 1.8	Child age group
			Annual Statistical Form No. 1, tables 2200, 2001 Form 16, tables 1000, 1001, 3001, 5000	Population by age group and number of home deliveries

¹ The death of a child should be registered in the annual form 16, Report on Medical Care for Children (0-14 year) and Adolescents/pupils (15-17 year), table 500.

Population by Age Report (Form 1.2)

Purpose of the Form

Health care facilities use the Population by Age Report (form 1.2) for various reasons and for immunization purposes. The information of each age group included in this report is used for annual immunization planning, coverage computation, estimating vaccine requirements, and various other things.

Responsible Person(s)

Facility head or district doctor prepares this record book with the help and support of a district or facility nurse. A copy of the form is always kept by the same person.

Instructions for Filling Out Forms

The Population by Age Report (1.2) is compiled annually (in October) on the basis of data obtained from the Record Book for Registering Children (1.1) and statistical data for the adult population (15 years or older) obtained from official sources such as the *Sakrebulo* (local council) and *Gamgeoba* (local governor's office). This report (1.2) is submitted to or by health care facilities in accordance with territorial subordination (village ambulatory/polyclinic, polyclinic ambulatory unit (PAU), rayon center for public health) once a year, in October or November.

The age group "Under 1" in this report (1.2) is estimated based on the number of actual children born during the first eight months of the current year (I-VIII), plus an estimation for the remaining months based on the number of children born in the ninth through twelfth months of the previous year (IX-XII). Other age groups are derived directly from the Record Book for Registering Children (1.1).

Data from the Population by Age Report (form 1.2) is the basis for completing the annual Prospective Plan for Immunizations (form 1.3) for immunization points. The accuracy of the Prospective Plan for Immunizations for the next year depends on the accuracy of data in the report (form 1.2).

Relation to Other Forms/Journals

The following table illustrates how the Population by Age Report (form 1.2) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form	Target Form for Information	Type of Information
Record book 1.1 , for Registering Children by Year of Birth (based on census)	Number of population for each age group	Form 1.2	Form 1.3	Prospective plan for immunizations
Record book (1.1) statistical data on adults from Sakrebulo and Gamgeoba	Number of population for each age group			

Form 1.2: Population by Age Report

_____ (health care setting) _____ (date)

Age groups	Year of birth	Population
under 1	I-VIII m. 2004+IX-XII m. 2003	
1	2003	
2	2002	
3	2001	
4	2000	
5	1999	
6	1998	
7	1997	
8	1996	
9	1995	
10	1994	
11	1993	
12	1992	
13	1991	
14	1990	
TOTAL 0-14y11mo29d		
15	1989	
16	1988	
17	1987	
18	1986	
19	1985	
TOTAL 15-19y11mo29d		
20-29	1975-1984	
30-39	1965-1974	
40-49	1954-1964	
50-59	1945-1954	
60+	up to 1944 incl	
TOTAL 20+		
TOTAL		

Notes:

Compiled once a year (in Oct) on a basis of the data from the Record Book for Registering Children (1.1).

Age group "under 1" includes children born during first eight months (I-VIII) of the current year, plus children born in the last four months (IX-XII) of the previous year.

Data from this record is the basis for making the Annual Prospective Plan for Immunizations (1.3).

Prospective Plan for Immunizations for the Next Year (Form 1.3)

Purpose of the Form

The Prospective Plan for Immunizations for the Next Year (form 1.3) is used to plan immunizations for various age groups in the catchment area according to the official immunization calendar the Ministry of Labor, Health and Social Affairs (MoLHSA) has adopted in the country.

Responsible Person(s)

For ambulatories and Feldsher and midwife stations (FAPs), the facility head or district doctor, with the help of a district or facility nurse, is responsible for preparing the prospective plan for immunization for those children who reside in their catchment areas. A copy of the form is kept at the facility. Based on this primary source of information, polyclinic facilities (heads) prepare the cumulative plan for their respective catchment areas.

Instructions for Filling Out Forms

The Prospective Plan for Immunizations for the Next Year (1.3) is developed once a year (in October) on the basis of the Population by Age Report (1.2) and forms 063.

When completing this form for vaccination of children against pertussis, diphtheria, tetanus, polio, tuberculosis (TB) and hepatitis B, one must note two age groups: “Under 1y” (less than 1 year old) and “More than 1 year old”. Data for the group “Under 1y” are taken from the appropriate age group of the Population by Age Report (1.2). This information should be recorded next to the appropriate vaccine, with the exception of TB and hepatitis B-1, where the number of home deliveries and number of children not immunized in maternity homes during I-VIII months of the current year and IX-XII months of the past year should be indicated separately. This means that the target group “Under 1y” for polio, diphtheria, pertussis, tetanus, and hepatitis-3 will be the same as the relevant age group in report 1.2.

The Prospective Plan (1.3) also has two age groups – “1 year” and “2-3 years” – for immunization against measles, mumps, and rubella. Data for the age group “1 year” is taken from the line “Under 1y” in the Population by Age Report, because in the following year (for which the plan is being completed), the child will be 1 year old. This means the target group “Under 1y” for all above-mentioned vaccinations (excluding TB and hepatitis B-1) and “1 year” for immunization against measles, mumps, and rubella will be the same.

The target groups for “[children] “more than 1 year old” (for diphtheria, pertussis, tetanus, polio, tuberculosis, and hepatitis B) and “2-3 years” (for measles, mumps, and rubella) includes children in those respective age groups who either were not immunized or have not completed the primary vaccination set. Data for these groups of children are compiled after reviewing individual children’s forms 063.

Form 1.3: Prospective Plan for Immunizations for the Next Year

at _____ (level of immunization point)

	Type of immunization	Target # of people	REMARKS
VACCINATIONS			
1	BCG, Hepatitis B-1 under 1 year		Only home deliveries (see journal 1.1)
2	BCG under 1 year		Children not immunized in maternity house (see F-063)
	BCG 12-24 month		Not immunized children 12-24 month (see F-063)
3	Hepatitis B -1 under 1 year		Children not immunized in maternity house (see F-063)
	Hepatitis B 12-24 month		Not immunized or not fully immunized children 12-24 month (see F-063)
4	Polio, Pertussis, Diphtheria, Tetanus Hepatitis B -3 under 1 year		AGE GROUP "UNDER 1" (See Population by Age Report 1.2)
	Polio 1-15 year		Not immunized or not fully immunized children over 1 y (see F-063)
	DTP 1-4 year		Not immunized or not fully immunized children over 1 y (see F-063)
	DT 1-6 year		Not immunized or not fully immunized children over 1 y (see F-063)
	Td over 6 year		Not immunized children, adolescents (see F-063)
5	Measles, Mumps, Rubella 1 year year		AGE GROUP "UNDER 1" (See Population by Age Report 1.2)
	Measles, Mumps, Rubella 2-3 years		Children 2-3 years old not immunized against measles (see F-063)
BOOSTERS			
1	DTP-4 18-24month		Children born in the first half of the current year + children born in the last half of the last year
2	DT-4 18+ month		Children immunized with DT
3	Polio-4 18-24month		Children born in the first half of the current year + children born in the last half of the last year
4	DT, Polio, Measles, Mumps, Rubella 5y-5y11m29d		The entire relevant age group (See Population by Age Report 1.2)
5	Measles, Mumps, Rubella 13 year		The entire relevant age group (See Population by Age Report 1.2)
6	Td 14 year		The entire relevant age group <u>including children with contraindications</u> (See Population by Age Report 1.2)

Notes:

Filled in once a year (in Oct.) on the basis of the Population by Age Report (1.2).

Target group for children aged more than 1 year, "more than 1 year old" (for diphtheria, pertussis, tetanus, polio, TB and Hep B) and "2-3 years" (measles, mumps, rubella) includes children over 1 or 2 years who are either not immunized or have not completed the primary vaccination. Data for these groups are taken from individual children's forms 063.

In the boosters section, the DPT-4 and polio-4 targets consist of children born during the first six months of the current year and last six months of the previous year, and this figure should be derived from record book 1.1. Children who are not in this age group and require boosters must be immunized, however, it is not necessary to include them in the prospective plan. The target for the fourth dose of the diphtheria and tetanus toxoid combination (DT-4) should include children over 18 months who have been vaccinated with DT. The information for the column for DT, polio, measles, mumps and rubella is taken from the appropriate age group of children who will be 5 years old the following year.

This report (1.3) is submitted to health care facilities in accordance with territorial subordination (village ambulatory/polyclinic head, PAU, rayon CPH) once a year in October or November.

Special Requirement

Children who were not vaccinated according to their age and not included in the prospective plan should be immunized, and this has to be reflected in a monthly report.

Relation to Other Forms/Journals

The following table illustrates how Prospective Plan for Immunizations for the Next Year (form 1.3) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information
Form 1.2 - Population by Age Report Form 63	Total number of children under 1 year is calculated based on 8 months of this year + last 4 months (IX-XII) of past year. Non-immunized children over 1 year (2 years)	Form 1.3	Immunization coverage monitoring form Worksheet for the projection of vaccine needs (at rayon level)
Statistical data on adults from "Sakrebulo and Gamgeoba"	Number of population for each age group		

Exchange Card of a Newborn (Form 113)

Purpose of the Form

The Exchange Card of a Newborn (form 113) is completed for every child born in a maternity home, and reflects the initial immunization status of the child. Upon discharging a child from a maternity home, the attending doctor should make a note about the child's BCG and Hepatitis B immunization in form 113.

Responsible Person(s)

This form is prepared by the attending doctor at the maternity home and given to the mother.

Instructions for Filling Out Forms

If a child does not receive BCG or Hepatitis B (for a specific reason such as contraindication), the reason should be stated in form 113. Upon discharging a child from a maternity home, the attending doctor should send form 113 to the appropriate pediatric (therapeutic) district where the child lives.

After receiving the child's form 113, a health worker should enter the data about the newborn in the Record Book for Registering Children (1.1) under a unique registration number and then start form 112 for this child (form 113 should be pasted into form 112).

Form 063 is used for recording BCG, Hepatitis B and subsequent immunizations. The registration number on a child's forms 112 and 063 should correspond to the registration number in the record book (1.1).

Relation to Other Forms/Journals

The following table illustrates how Exchange Card for a Newborn (form 113) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information	Type of Information
Child record at maternity	BCG	Form 113	Form 112 + Form 063	BCG

Child Development History (Form 112)

Purpose of the Form

Child Development History (form 112) is assigned to every child in the district. It reflects the history of a child's development and all medical services provided to that child, as well as the child's immunization status.

Immunization Record (Form 063)

Purpose of the Form

The Record of Immunizations (form 063) is assigned to every newborn. This form is needed to record and monitor immunizations given to a child. Form 063 also contains information about a child's reaction following immunizations and any medical contraindications.

Responsible Person(s)

Each district doctor prepares this form with the help and support of the district nurse. The form should be kept at the health care facility in specially organized boxes.

Instructions for Filling Out Forms

Form 063 is organized in accordance with the child's year of birth and scheduled immunization month. When the child reaches the age of 15, form 063 is passed to the adult polyclinic registry for further recording of immunizations and formation of the register (card index) of immunizations given to adults.

Relation to Other Forms/Journals

The following table illustrates how the Immunization Record (form 063) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information	Type of Information
Form 112 , Child Development History	Name, DoB, address	Form 063	Record book 1.4 , Monthly Plan for Immunization	Individual information, number of children who are to be immunized this month
Record Book 1.1 , for Registering Children by Year of Birth	Registering #		Form 1.3 , Prospective Plan for Immunizations for the Next Year	Determine contingent of not immunized or not fully immunized children over 1 year
Form 113 , Exchange Card of a Newborn	Information on immunization BCG given		Form 1.8 , Report on Immunization Practice	Timeliness of immunizations given

Form 063: Immunization Record

Ministry of Health of Georgia

Name of the health care setting _____

Registration date _____ Registration # _____

1. NAME _____

2. DoB _____

3. HOME ADDRESS: city/village _____, street _____, house _____, apt _____

Rayon _____

Notes about changes of home address _____

TB immunization								
	Age	Date	Dose	Lot#	Adverse reaction (local)	Contraindications (period, reason)		
Vaccination								
Polio immunization								
Vaccination				Boosters				
Age	Date	Lot#	Age	Date	Lot#	Age	Date	Lot#
Diphtheria, pertussis and tetanus immunizations								
	Age	Date	Dose	Lot#	Vaccine type	Adverse reaction		Contraindications (period, reason)
						General	Local	
Vaccination								
Boosters								
Measles, mumps, rubella immunizations								
	Age	Date	Dose	Lot#	Vaccine type	Adverse reaction		Contraindications (period, reason)
						General	Local	
Hepatitis B Immunizations								
	Age	Date	Dose	Lot#	Vaccine type	Adverse reaction		Contraindications (period, reason)
						General	Local	
Other immunobiologicals (Immunoglobulins, other vaccines)								
	Age	Date	Dose	Lot#	Vaccine type	Adverse reaction		Contraindications (period, reason)
						General	Local	

Date of leaving the register _____ Reason _____ Signature _____

* The card is filled in at a child's health care facility or FAP when the child is registered. It should be kept at the facility.
 * A certificate of vaccinations is given when a child moves from a town or rayon. When the child reaches the age of 15, the record is passed to the registry of adult polyclinic.

Record Book for Monthly Planning and Registering of Immunizations (Record Book 1.4)

Purpose of the Record Book

The Record Book for Monthly Planning and Registering of Immunizations (1.4) is recommended to record the planning and registering of immunizations (vaccination and boosters) on a monthly basis. All of these vaccinations and boosters are planned at the end of a month on the basis of forms 063.

Responsible Person(s)

Every district doctor, with the help of a district nurse or vaccinator, is responsible for preparing the Record Book for Monthly Planning and Registering of Immunizations (1.4).

Instructions for Filling Out Forms

The names of children eligible for the next immunization are entered in the record book (1.4) in accordance with the immunization schedule. The registration numbers of these eligible children are taken from forms 063 and entered in the first column (“#”). This number must be identical to the number in forms 112 and 063 of the respective child. The column “Actually done (date)” has two parts: “under 1y/2y/6y” and “late, over 1y/2y/6y.” As soon as a child is immunized, a health worker should enter the date of immunization in the column appropriate to the age of the child on the day of immunization. The lot number and dose of vaccine should also be indicated in the column “Remarks.” In cases where more than one immunization is given per child per month, the relevant number of lines in the record book (1.4) can be assigned to each child. On the day of immunization all the data should be entered in the appropriate columns of both the record book (1.4) and forms 063 and 112.

If a child does not get immunized because of a temporary medical contraindication, the contraindication should be stated in the column “Remarks” and the child should be immunized the following month. If a child does not get immunized for other reasons (e.g., absence of vaccine, child did not appear), these reasons also should be indicated in the column “Remarks” and the child should be immunized on the next immunization day.

If the health worker determines the child has a long-term or permanent contraindication, he/she should register it in the Record Book for “More Than 1 Month,” Constant Contraindications and Refusals (1.5). If a “guest” (a child who arrived in the area less than four months earlier) is vaccinated, it should be indicated in the column “Remarks.” The monthly Report on Immunization Practice (form 1.8) is compiled on the basis of this form. Two sections of the monthly report “Immunizations Made” and “Contraindications to DTP” (temporary) can be completed. Someone not showing up for immunization is not considered to be a refusal or contraindication, and therefore it should not be reported in the monthly report form.

Record Book 1.4: Record Book for Monthly Planning and Registration of Immunizations

#	Name	DoB	Home address	Type and order of vaccination	Vaccination scheduled for (date)	Vaccination actually done (date)		REMARKS (lot #, dose, or reason not immunized according to the schedule)
						Under 1y/2y/6y	Late, Over 1y/2y/6y	
						BCG-1, DPT1-3, Polio1-3, HepB1-3, DT1-3		
						<12 mo	>12mo	
						DTP, DT, Polio-4		
						18mo-24mo	>24mo	
						MMR-1		
						12-24mo	>24mo	
						MMR-2, OPV-5, DT		
5y-5y11mo29d	>6y							
04/04	<i>Iashvili Irakli</i>	01.04.2004	5 Abashidze st.	DPT-1	01.06.	05.06.		lot# 3125 - 0.5 ml
				Polio-1	01.06.	05.06.		lot# 2465 - 2 drops
04/02	<i>Gvensadze Eka</i>	11.03.2004	2 Paliashvili St.	DPT-2	11.06.	16.06.		lot# 3125 - 0.5 ml
				Polio-2	11.06.	16.06.		lot# 2465 - 2 drops
04/01	<i>Mishveladze Tamara</i>	13.02.2004	80 Abashidze st.	DPT-3	13.06.	-----		temp. contraindication
				Polio-3	13.06.	20.06.		lot# 2465 - 2 drops
03/28	<i>Gabunia Maka</i>	14.05.2003	7 Eristavi St.	MMR-1	14.06.	25.06.		lot# 5612 - 0.5 ml
02/31	<i>Pipia Dato</i>	15.06.2002	11 Eristavi St.	DPT-4	03.06.		25.06.	lot# 3125 - 0.5 ml
				Polio-4	03.06.		25.06.	lot# 2465 - 2 drops

* Plan for the next month is done at the end of the current month on the basis of form 063. Non-vaccinated children from previous month should be added.
 * Registration number in this record book corresponds to the number in the Register of Children (1.1) and on forms 063 and 112.
 * Immunizations made should also be registered in forms 063 and 112.
 * Contraindications and refusals are registered in the record book for "Long-term," Constant Contraindications and Refusals (1.5).
 * At the end of every month, a monthly Report on Immunization Practice (1.8) is made on a basis of this record book - two sections, "Immunizations made" and "Contraindications to DTP," are filled in.
 * Not showing up is not considered as a refusal or temporary contraindication.

Relation to Other Forms/Journals

The following table illustrates how Record Book for Monthly Planning and Registering of Immunizations (1.4) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information	Type of Information
Form 063 , records on immunization	Information on children who are to be immunized this month by the type of specified vaccines	Record book 1.4	Form 1.8 , Report on Immunization Practice	Information on immunization practice this month
			Record book 1.5 , Record Book for "Long-term" (More Than 1 Month), Constant Contraindications and Refusals	Information on contraindications and refusals
			Monitoring forms	Information requested on monitoring forms

Record Book for Long-term (More than 1 Month), Constant Contraindications and Refusals (Record Book 1.5)

Purpose of the Record Book

The Record Book for Long-term (More than 1 Month), Constant Contraindications and Refusals (1.5) is an obligatory document for every health care facility where immunizations are performed. Children with long-term (more than one month) and permanent contraindications to various immunizations and any refusals for immunization are registered in this record book

Responsible Person(s)

A district doctor is responsible for maintaining this book for decisions about diagnosing or canceling long-term medical contraindications.

Instructions for Filling Out Forms

In order to accurately register children who have had contraindications for more than one month (in case a contraindication is prescribed to the same child more than once), a note of “repeated” should be made in the column “Remarks.” A health worker also should make notes about the arrival or departure of children with long-term or permanent contraindications in that column as well.

Every month a health worker completes the “Contraindications to DTP” section (for long-term and permanent) and “Refusals” section of the Report on Immunization Practice (1.8) based on this record book (1.5). If a child is diagnosed with a permanent contraindication, it should be reported each month until the child reaches 1 year of age.

If a child is not vaccinated due to repeated or extended contraindication “over 1 month,” the Rayon Doctors’ Expert Group/Commission should discuss this issue and make a decision about further tactics regarding immunization of this child. Those who refuse immunization should still be offered immunization on subsequent immunization days.

Relation to Other Forms/Journals

The following table illustrates how the Record Book for Long-Term Constant Contraindications and Refusals (1.5) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information	Type of Information
Record book 1.4 , for Monthly Planning and Registering of Immunizations	Information on refusals and contraindications	Record book 1.5	Form 1.8 , Report on Immunization Practice	Refusals and contraindications
Form 112 , Child Development History	Final diagnosis and duration of contraindications			

Record Book for Vaccine, Syringe, and Safety Box Flow (Record Book 1.6)

Purpose of the Record Book

The Record Book for Vaccine, Syringe, and Safety Box Flow (1.6) is used to continuously track the supply, consumption, and remaining stock of vaccines, syringes, and safety boxes.

Responsible Person(s)

The person responsible for monitoring the flow and consumption of materials is also responsible for preparing this record book.

Instructions for Filling Out Forms

The record book contains blank forms where the name of the item – vaccine, syringe, or safety box – should be written on the line next to “Material: _____.” The lot number and expiration date are entered, as appropriate, depending on the type of item, i.e., whether it is a vaccine, syringe, or safety box. Each item should have its own page (or multiple pages) in the record book.

In addition to regularly recording the receipt, issue, and usage of vaccines, syringes, and safety boxes, the health worker responsible for recording each type of material should always calculate the balance of all remaining inventory once any are received, given out, used, and destroyed. A health worker should continue recording the balance in the record book (1.6) in order to be able to accurately tell at any moment (not only at the end of month) how many of each type of item he or she has at the immunization point (store). The health worker should make notes in the record book (1.6) on the day the material is received, issued, or used. Leftover doses from the opened vials should be reported as “used” and not as “destroyed.” For example, if six children are vaccinated with a vial of 10 doses and four doses are left, 10 should be recorded in the “used” section. Doses destroyed during the reporting period because they have exceeded the expiration date, are damaged, or violate cold chain requirements should be recorded in the “destroyed” column.

At the end of every month a health worker should inventory the amount of materials left in the immunization point and check whether the amount corresponds to the balance in the record book (1.6).

The “use of vaccines” section of the monthly Report on Immunization Practice (1.8) is completed based on the data from the record book (1.6). The “amount used” includes the sum of used and destroyed vaccine doses. For vaccines, all records are made in doses, not in vials or mls.

Relation to Other Forms/Journals

The following table illustrates how Record Book for Vaccine, Syringe, and Safety Box Flow (1.6) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal	Target for Information	Type of Information
The Act on “receiving/giving out” of vaccines, syringes, and boxes	Amount of vaccines, syringes, and safety boxes received/given out	Record Book 1.6	“Use of vaccines” section of Form 1.8 , Report on Immunization Practice	Info on received, issued, used, destroyed, or written off vaccines, syringes, and safety boxes
Journal of vaccination room and/or record book 1.4	Total amount of vaccines consumed			

Temperature Registration Record (Form 1.7)

Purpose of the Form

The Temperature Registration Record (form 1.7) facilitates monitoring the temperature at which vaccines are stored.

Responsible Person(s)

Each district health facility must designate one person responsible for making notes in the record book and signing the document at the end of each month.

Instructions for Filling Out Forms

A health care worker responsible for vaccines should monitor the temperature in the refrigerator where vaccines are kept and note the temperature on form 1.7 twice daily (at the beginning and end of a working day). In case of a power failure or breakdown of the refrigerator, a health worker should make appropriate notes on form 1.7 (indicator 1 [D] means the refrigerator is turned off for defrosting; indicator 2 [N] means refrigerator is out of order (not working); indicator 3 [P] means refrigerator is turned off because of power deficiency) and take appropriate measures to ensure the proper temperature regimen for storage of the available vaccines.

Form 1.7: Temperature Registration Record

Responsible Person (Name) _____ *

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Signature			
JAN	morning																																			
	evening																																			
FEB	morning																																			
	evening																																			
MAR	morning																																			
	evening																																			
APR	morning																																			
	evening																																			
MAY	morning																																			
	evening																																			
JUN	morning																																			
	evening																																			
JUL	morning																																			
	evening																																			
AUG	morning																																			
	evening																																			
SEP	morning																																			
	evening																																			
OCT	morning																																			
	evening																																			
NOV	morning																																			
	evening																																			
DEC	morning																																			
	evening																																			

D = refrigerator is turned off for defrosting, N = refrigerator is out of order (not working),

P = Refrigerator turned of because of power deficiency.

*Responsible person has to sign the document at the end of each month.

Signature of Responsible Person _____

Report on Immunization Practice (Form 1.8)

Purpose of the Form

The Report on Immunization Practice (form 1.8) is the main reporting document that reflects the immunization situation at immunization points and maternity houses. The form is compiled on a monthly basis and submitted to the appropriate health care facility according to territorial subordination.

Responsible Person(s)

Each district doctor, with the help of district nurse and maternity house staff, is responsible for preparing a Report on Immunization Practice.

Instructions for Filling Out Forms

The data needed to fill in the first section, “Immunizations given,” is taken from the Record Book for Monthly Planning and Registering of Immunizations (1.4).

The “Contraindications to DTP” section is completed on the basis of data obtained from two record books:

- ▲ Record Book for “More Than 1 Month,” Constant Contraindications and Refusals (1.5). Data from this record book can be used to fill in the “over 1 month,” “Permanent,” and “Refusal” columns.
- ▲ Record Book for Monthly Planning and Registering of Immunizations (1.4). Data from this record book is used for completing the “Temporary” column. If a person does not appear for an immunization, it should not be considered as a refusal or temporary contraindication, and therefore should not be reported on this form.

The “Use of vaccines” section is filled out by using data from the Record Book for Vaccine, Syringe, and Safety Box Flow (1.6), based on the type of specified vaccines. “Amount used” includes the sum of used and destroyed vaccine doses. The number of doses indicated in column 5 of the current month reporting form should be similar to the doses indicated in column 7 of the previous month’s form. These columns in the “Use of vaccines” section are needed to monitor the vaccine stock at various levels (health care facilities, CPH) and to ensure the even distribution of vaccines as they are used at immunization points.

Field Statistics Reporting Form

Pursuant to article 177 of the Georgian Administrative Justice Violation Code, failure to submit statistical information on time, falsification of the submission data, or failure to use the established form by facilities will incur a penalty of eight to twelve times the amount of the minimum monthly salary.

Ministry _____
(Name)

Form # 4 (Monthly)

District, rayon, facility _____
(Name, address)

Report on preventive vaccinations administered
_____ (month) 20__ (year)

Form 1.8: Report on Immunization Practice

Health care Facility, _____ Period _____ Date _____

Immunizations Given				Use of Vaccine in Doses			
Vaccine	Age at vaccination	Number of people vaccinated	Total immunizations given	Balance at the beginning of the period (doses)	Received (doses)	Balance at the end of the period (doses)	Amount used (doses)
1	2	3	4	5	6	7	8=5+6-7
BCG-v	0-5 days		Total				
	6 days - 11mo29d						
	1 year - 1 y 11mo29d						
DPT-1	2 months - 11mo29d		Total				
Diphtheria-Tetanus-Pertussis-1	More than 1 year						
DPT-2	3 months - 11mo29d						
Diphtheria-Tetanus-Pertussis-2	More than 1 year						
DPT-3	4 months - 11mo29d						
Diphtheria-Tetanus-Pertussis- 3	More than 1 year						
DPT-4	18 - 24 months						
Diphtheria-Tetanus-Pertussis-4	More than 24 months						
DT-1	under 1 year		Total				
Diphtheria-Tetanus-1	More than 1 year						
DT-2	under 1 year						
Diphtheria-Tetanus-2	More than 1 year						
DT-3	under 1 year						
Diphtheria-Tetanus- 3	More than 1 year						
DT-4	18 months +						
DT	5 years - 5 y11mo29d						
Diphtheria-Tetanus	6 years - 6 y11mo29d		Total				
OPV-1	2 months - 11mo29d						
Poliomyelitis -1	More than 1 year						
OPV-2	3 months - 11mo29d						
Poliomyelitis -2	More than 1 year						
OPV-3	4 months - 11mo29d						
Poliomyelitis -3	More than 1 year						
OPV-4	18 - 24 months						
Poliomyelitis -4	More than 24 months		Total				
OPV-5	5 years - 5 y11mo29d						
Poliomyelitis -5	More than 6 years						
Other OPVs	others						
VHB-1	0 - 24 hours						
Viral Hepatitis B-1	25 hours - 11mo29d						
	1 year - 1y11mo29d						
VHB-2	2 months - 11mo29d						
Viral Hepatitis B-2	1 year - 1y11mo29d		Total				
VHB-3	3 months - 11mo29d						
Viral Hepatitis B-3	1 year - 1y11mo29d						
Other VHB-1							
Other VHB-2							
Other VHB-3							
MMR-1	12 - 24 months						
	More than 24 months						
MMR-2	5 years - 5 y11mo29d		Total				
	More than 6 years						
MMR	13 years						
	others		Total				
Measles							
Mumps	others						
Rubella							
MR			Total				
Td Tetanus - Diphtheria	more than 6 years						
	14 years						
	others		Total				
REFUSALS OF DPT			CONTRAINDICATIONS TO DTP				
				Short-term	Long-term	Permanent	Total
DTP (under 1y)			DTP (under 1y)				

If no vaccinations were performed during the reporting month, facilities should submit zero reports. The vaccination of a child who arrived in the territory less than four months ago (a “guest”) should be reported in this monthly form (1.8). If such practice is extensive, the rayon center of public health manager may request information from the facilities about the number of guests vaccinated with DPT-3. This information should be submitted in a written form along with the monthly reports.

Maternity houses should complete both the “Immunizations given” and “Use of vaccines” sections of form 1.8.

Form 1.8 is both a recording and a reporting document for immunization points. Two copies of the form are needed; one is submitted to the appropriate health care facility according to territorial subordination not later than on the 28th day of the current month and the other to be retained at the facility.

Relation to Other Forms/Journals

The following table illustrates how the Report on Immunization Practice (form 1.8) relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal
Record book 1.4 , for Monthly Planning and Registering of Immunizations	Information on immunizations given	Form 1.8
Record book 1.5 , for “More Than 1 Month,” Constant Contraindications and Refusals	Information on “more than 1 month” and “permanent” contraindications	
Record book 1.6 , for Vaccine, Syringe, and Safety Box Flow	Information on use of vaccines by the type of specified vaccines	

2. Submission of the Reporting Documentation

The following explains what reporting documentation the immunization point must submit and when:

- ▲ Population by Age Report (1.2), annually, no later than November 10
- ▲ Prospective Plan for Immunizations for the Next Year (1.3), annually, no later than November 10
- ▲ Report on Immunization Practice (1.8), monthly, no later than the 28th of the month. This form provides the basis for monitoring the entire immunization program and can serve as a signal for taking measures on eliminating detected mistakes and problems.

Original copies of these reports must be kept at the health care facility. Copies of each report are submitted to the next level according to territorial subordination.

The reports mentioned above, and other recording documents, are the basis for preparing documentation for the state statistical reporting. The order of the flow of information is defined according to the decree of the MoLHSA #122/n.

3. Monitoring System

Health care facilities that have subordinate immunization points are the first level of immunoprophylaxis management. Summary reports are made starting at this level, and this is where staff are responsible for ensuring that the reporting forms submitted by their subordinate areas are filled out completely and correctly and for analyzing all indicators of the immunization of the population.

Health officials who manage health care facilities are personally responsible for the timeliness and quality of information in the reporting forms. The appropriate analytical worksheets to calculate indicators and provide graphical analysis should be filled in for every subordinate facility. The accuracy of the reported data will be analyzed by checking subordinate FAPs and therapeutic and pediatric districts, according to the approved checklist, and by an analysis of the results in the recommended worksheets.

Monitoring of immunizations at this level should be based on the following indicators:

- ▲ DPT-3 coverage of children under 1 year (percentage)
- ▲ Vaccine usage/wastage indicator
- ▲ Percentage of children under 1 year with contraindications to DPT 1-3
- ▲ Percentage of DPT refusals in children under 1 year

All the indicators should be analyzed on a monthly basis. Graphical monitoring is recommended for immunization points that have more than 50 children under 1 year old. If appropriate, monitoring of other quantitative and qualitative indicators may be performed.

Monitoring of DTP-3 Coverage of Children Under 1 Year

Purpose of the Form

This form is proposed to monitor work performed in FAPs, ambulatories, and therapeutic or pediatric districts.

Responsible Person(s)

Every district doctor in areas that have more than 50 children under 1 year old should prepare this monitoring document, with the help of a district nurse.

Instructions for Filling Out Forms

If vaccination of children under 1 year old is organized properly, coverage should reach 96 to 97 percent, because according to the immunization schedule, the majority of children should get their DPT-3 immunization before they are 5 months old. Only a small number of children with justified long-term contraindications or extended intervals between DPT-1, -2, and -3 will be able to complete the primary vaccination set from the ages of 5 months to 1 year. The number of children who have permanent or long-term contraindications should not be significant if the immunization tactics are correct.

The monitoring worksheet should be completed on a monthly basis to monitor DPT-3 coverage of children under 1 year using the principle of “Cumulative calculations.” The conclusions from this worksheet can be used at various meetings for making decisions.

Once the DPT-3 coverage cumulative percentage has been calculated every month, a curve reflecting this percentage should be drawn on the graph. After building the curve, a health worker will be able to easily compare DPT-3 coverage during the given period of time at his or her district with the target line, reflecting the average percentage of DPT-3 coverage needed to reach the goal until the end of the year.

In a case where the curve reflecting DPT-3 coverage during the given period of time is below the target line and does not approach it the following month, the health worker should regard this as an urgent signal to detect the reasons behind the low coverage and to take appropriate measures to correct any problems that might have resulted from the following reasons:


- ▲ Failure to reach all children under 1 year old
- ▲ Unreasonably high rate of contraindications
- ▲ Frequent or prolonged shortages of vaccine(s)
- ▲ High proportion of refusals to receive vaccine

The corrective strategy will depend on identifying the appropriate reason for low coverage.

Cases that have too high (above the target line) DPT-3 coverage of children under 1 year should be analyzed for data errors by examining the actual number of children born (the target population). Such cases can either refer to the wrong definition of the target group “under 1y” or reflect the difference in the number of children born monthly.

Monitoring of DTP-3 Coverage of Children Under 1 Year in 200_

Total number of children in the district – 100



Notes:

Number of children under 1 year is taken from the Population by Age Report (1.2).

This record is kept at the level of rayon CPH, district polyclinic or ambulatory for monitoring of the performed work.

Relation to Other Forms/Journals

The following table illustrates how the form to monitor DPT-3 coverage of children under 1 year relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal
Form 1.2, Population by Age Report	Number of children under 1 year	Monitoring of DPT-3 Coverage of Children Under 1 Year
Form 1.8, Report on Immunization Practice	Number of DPT-3 vaccinations given to children under 1 year this month	

Vaccine Usage Indicator

Purpose of the Form

The Vaccine Usage Indicator provides health care facility managers with important information about the amount of vaccines used per number of immunizations made at every immunization point for which they are responsible.

Responsible Person(s)

Every district doctor is responsible for preparing the monitoring document with the help of a district nurse.

Instructions for Filling Out Forms

DPT vaccine usage has been chosen as a marker, which can indirectly speak about problems related to use of all vaccines. It should be calculated on a quarterly basis.

If this indicator is too low (≤ 1), either the data are inaccurate due to improper recording of vaccine usage or the children are not getting immunized properly (e.g., they received less of a dose than required). On the other hand, if the indicator of vaccine usage is too high (see table below) this may have been caused by improper organization of days for immunization, failure to adhere to the temperature storage regimen, or improper recording of vaccine usage. Vaccine usage indicators should be compared between immunization points with similar size of children served (e.g., separately for FAPs and village ambulatories on the one hand, and for children's polyclinics in towns on the other hand).

Acceptable wastage coefficients and recommended frequency of immunization sessions for each vaccine presentation are presented below. Wastage that exceeds these numbers points to existence of the above-described problems.

		Number of children under one year of age served by facility				
		0-10	11-60	61-120	120-300	>300
Recommended number of immunization sessions per month		1 (via local medical personnel* or mobile team)	1	2	3	as appropriate
Vaccine	Doses/Vial	Acceptable wastage coefficients				
MMR	1	N/A	1.05	1.05	1.05	1.05
DPT, Measles, Mumps	2		1.5	1.3	1.1	1.1
Hepatitis B	6		2.0	1.5	1.3	1.3
DPT, Polio, Hepatitis B, MMR	10		3.0	2.0	1.5	1.3
DT, Td	10					1.5
BCG	10 or 20		as much as needed			3.0

* Medical personnel from a facility to which the ambulatory is subordinated.

Health care facility managers should know how a vaccine was used; however, they should be careful when interpreting these data. Higher than average wastage can be justified for vaccinating sparsely populated territories in absence of mobile teams or for opening a large vial in order to take advantage of an opportunity to vaccinate children that would normally be very hard to reach. Urgent measures should be taken if the vaccine usage indicator becomes *unreasonably* high or low.

Worksheet on the Use of DPT Vaccine
in _____(year)

Vaccination	January		February		March		1ST QUARTER			April		May		June		2ND QUARTER		
	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	total vaccine used in the quarter	total vaccinations made in the quarter	actually used vaccine per 1 vaccination	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	total vaccine used in the quarter	total vaccinations made in the quarter	actually used vaccine per 1 vaccination
							1	2	3=1:2							1	2	3=1:2
DPT	10	4	10	10	20	8	40	22	1.82									
Vaccination	July		August		September		3RD QUARTER			October		November		December		4TH QUARTER		
	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	total vaccine used in the quarter	total vaccinations made in the quarter	actually used vaccine per 1 vaccination	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	vaccine used (doses)	vaccinations made	total vaccine used in the quarter	total vaccinations made in the quarter	actually used vaccine per 1 vaccination
							1	2	3=1:2							1	2	3=1:2

The major vaccine wastage reduction strategies at the facility level are as follows:

- ▲ Better planning of immunization sessions (grouping by days as outlined in the table above)
- ▲ Adherence to the NCDC “open vial” recommendations (MoLHSA decree 112/n) that allow use of open DPT, DT, Td and Hepatitis B vaccine vials for as long as 1 month provided that facilities fully meet cold chain requirements and open vials are not used outside the facility (e.g., for mass campaigns or outreach immunizations)
- ▲ Use of outreach mobile immunization brigades
- ▲ Improved cold chain to avoid exposure of vaccines to heat and freezing
- ▲ Rationalized distribution of vaccines (to use all vaccines before expiration dates and to avoid prolonged storage of unused vaccines where cold chain failure is likely)
- ▲ Training in the use of vaccine vial monitor (VVM) equipped vaccines

Example of calculation of the DPT vaccine usage indicator (wastage coefficient):

30 doses of DPT were used at ambulatory during a quarter; 22 immunizations with DPT (1-4) were made.

$$\text{Vaccine usage indicator} = \frac{\text{Doses used}}{\text{\# of immunizations given}} = 30:22 = 1.36$$

Usage indicators for other vaccines can be computed in a similar way.

Relation to Other Forms/Journals

The following table illustrates how the Vaccine Usage Indicator form relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal
Form 1.8, Vaccine use section	Amount of used vaccines (doses)	DPT Vaccine Usage Indicator
Form 1.8, Report on Immunization Practice	Number of DPT vaccinations made	

Monitoring of the Percentage of Children with Contraindications to DTP and Refusals

Purpose of the Form

This monitoring form is recommended for monitoring volume and share of contraindications and refusals.

Responsible Person(s)

Every district doctor should prepare this monitoring document with the help of a district nurse.

Instructions for Filling Out Forms

One of the reasons for uncompleted vaccination of children under 1 year is unjustified contraindications. According to recommendations from the World Health Organization, the number of children under 1 year with justified long-term and permanent contraindications should not exceed 2 percent.

The percentage of children under 1 year with contraindications to DPT in an ambulatory, FAP, or polyclinic is calculated monthly on the basis of summary reports on immunization practice. A graph built monthly can show the tendency for contraindications to increase or decrease. If the percentage of contraindications to vaccination increases in a certain territory (facility), the situation will require urgent organizational decisions – first of all to determine which FAPs/ambulatories are responsible for the unsatisfactory level of contraindications. A similar analysis can be done for every polyclinic (child consultation clinic) on the basis of the indicators at pediatric districts.

Prior to administering long-term or permanent contraindications, all physicians are advised to consult the current immunization regulations (MoLHSA decree 112/n).

Facilities administering long-term and permanent contraindications to more than 2 percent of children will be periodically visited by “a team of specialist physicians” to examine children with contraindications and review their justification. Children with “over 1 month” contraindications should be referred to rayon Doctors’ Expert Groups / Commissions (where they exist) for an examination and a consultation with regard to validity of the contraindication.

Analysis of the refusal rate is performed in a similar fashion; graphical monitoring of this indicator is recommended for facilities with 100-200 or more children under the age of one.


To reduce the number of refusals, pediatricians should provide appropriate messages to parents and caretakers about the importance and safety of child vaccinations. Every opportunity (e.g., every visit of parents to a polyclinic) should be used to hand out leaflets about importance of immunization and danger of infectious diseases.

Relation to Other Forms/Journals

The following table illustrates how the Monitoring of the Percentage of Children with Contraindications to DPT and Refusals form relates to the types of information presented in other forms.

Source of the Information	Type of Information	Current Form/Journal
Form 1.8 , Report on Immunization Practice	Number of DPT-1, -2, -3 vaccinations given to children under 1 year this month	Monitoring of the Percentage of Children with Contraindications to DPT and Refusals
	Total number of current contraindications to DPT-1, -2, -3 in children under 1 year (short-term, "more than 1 month," and permanent)	
Total number of refusals to DPT in children under 1 year		
Record book 1.4 , for Monthly Planning and Registering of Immunizations	Total number of children that may (should) have received DPT-1, -2, -3 this month	

Monitoring of Percentage of Children with Contraindications to DTP and Refusals
 (by Month) in _____ (year) in _____ (Health District, Health Facility)



Note: This record is kept at the level of village ambulatories and polyclinics for monitoring of the work.

4. Evaluating Facility-Level Performance/ Providers

The Performance Evaluation Checklist for Immunization Providers (below) contains simple questions that providers can use to self-monitor their work and that district CPHs can use to monitor and supervise immunization points. The checklist allows for clear and objective evaluations. Periodic monitoring will help health care providers and managers to identify problem areas and plan appropriate interventions to solve the problems.

Performance Evaluation Checklist for Immunization Providers

AVAILABILITY OF REGISTRY	
1. Does Record book 1.1. reflect the annual censuses covering ALL children residing in the catchment area?	Yes <input type="checkbox"/> No <input type="checkbox"/>
2. Is Form 1.2 available at the facility/immunization point?	Yes <input type="checkbox"/> No <input type="checkbox"/>
3. Is Form 1.3 available at the facility/immunization point?	Yes <input type="checkbox"/> No <input type="checkbox"/>
4. Is Record book 1.4 available at the facility/immunization point?	Yes <input type="checkbox"/> No <input type="checkbox"/>
5. Is Record book 1.5 available at the facility/immunization point?	Yes <input type="checkbox"/> No <input type="checkbox"/>
6. Is Record book 1.6 available at the facility/immunization point?	Yes <input type="checkbox"/> No <input type="checkbox"/>
CORRECTNESS OF RECORD MANAGEMENT/ORGANIZATION	
7. Is the number of Form 063 for the given age group equal to the number of children in this age group in Record book 1.1?*	Yes <input type="checkbox"/> No <input type="checkbox"/>
8. Does the registration number in the Record book 1.1 correspond to the number on forms 112 and 063 and in Record book 1.4?	Yes <input type="checkbox"/> No <input type="checkbox"/>
9. Check to ensure Record book 1.1 is filled properly: Are there notes made about whether a child has left or arrived at a district for permanent residence (in pen) or temporarily indicating the period (in pencil)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
10. Do the numbers in various age groups in Form 1.2 equal the number of the same age group in Form 1.3?*	Yes <input type="checkbox"/> No <input type="checkbox"/>
11. Is the data about immunizations performed entered into all recording forms (063,112, 1.4) during the same day?***	Yes <input type="checkbox"/> No <input type="checkbox"/>
12. Check selected Forms 063 against Record book 1.5 and Form 112. Do all carriers have same contraindications recorded and documented according to procedures?	Yes <input type="checkbox"/> No <input type="checkbox"/>
13. Does the balance of vaccines in refrigerator coincide with the balance in Record book 1.6?	Yes <input type="checkbox"/> No <input type="checkbox"/>
14. Check Record book 1.6 against Record book 1.4: Do the dates for vaccine usage coincide?	Yes <input type="checkbox"/> No <input type="checkbox"/>
CORRECTNESS OF DATA TRANSFER INTO REPORTING FORMS	
15. Are Record book 1.1 entries for age groups the same as in Form 1.2 (check all age groups)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
16. Is immunization plan 1.3 made on the basis of the Population by Age Report (1.2) and Forms 063 (older children who missed the opportunity to get immunized during last year)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
17. Does the number of performed immunizations in the monthly report (form 1.8) by every type of vaccination reflect the data from the Record Book for Monthly Planning and Recording of Immunizations (1.4)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
18. Does Form 1.8 correctly reflect all refusals or temporary, long-term, and permanent contraindications from Record books 1.4 and 1.5.	Yes <input type="checkbox"/> No <input type="checkbox"/>
19. Does Form 1.8 correctly reflect vaccine usage for various vaccines from Record book 1.6.	Yes <input type="checkbox"/> No <input type="checkbox"/>

ANALYSIS, MONITORING, USE OF INFORMATION FOR MANAGEMENT (at the level of pediatric polyclinic, PAU, or rayon PHC)	
20. Does facility have Prospective Plan for Immunizations (form 1.3) for children and adults for every subordinate FAP (district doctor)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
21. Does facility have Report on Immunization Practice (form 1.8) for every subordinate FAP (district doctor)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
22. Does facility have summary monthly worksheets with cumulative numbers by every type of immunization according to the annual plan with calculation of percentage for every subordinate FAP (district doctor)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
23. Does facility have records with names of children who have not been immunized or not completed DPT-3 at 4 months 29 days at each FAP as well as reasons behind it?	Yes <input type="checkbox"/> No <input type="checkbox"/>
24. Is calculation of vaccine needs for every FAP and district based on the annual plan of immunizations?	Yes <input type="checkbox"/> No <input type="checkbox"/>
25. Are vaccines, syringes, and safety boxes issued to FAPs and their usage monitored with the Record Book for Vaccine, Syringes, and Safety Box Flow (1.6)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
26. Are the expired, poor quality, or leftover vaccines destroyed appropriately and in a timely manner?	Yes <input type="checkbox"/> No <input type="checkbox"/>
27. Have long-term contraindications in children over 1 year been approved by rayon Doctors' Expert Group?	Yes <input type="checkbox"/> No <input type="checkbox"/>
28. Does the facility perform regular analysis of vaccine usage/wastage?	Yes <input type="checkbox"/> No <input type="checkbox"/>
29. Have any management decisions (e.g., on improvement of coverage, vaccine wastage reduction) been made as the result of the analysis of data in the past three months?	Yes <input type="checkbox"/> No <input type="checkbox"/>
COLD CHAIN (These points are not analyzed if a refrigerator is not available.)	
30. Is there a refrigerator at the vaccination point, ambulatory, or FAP?	Yes <input type="checkbox"/> No <input type="checkbox"/>
31. Are there vaccine carriers for transportation of vaccines?	Yes <input type="checkbox"/> No <input type="checkbox"/>
32. Does the refrigerator work or not?	Yes <input type="checkbox"/> No <input type="checkbox"/>
If it does not work, for how long has it not worked and why?	
33. Has anyone been informed about the fault? Or have any other measures been taken?	Yes <input type="checkbox"/> No <input type="checkbox"/>
34. Is the temperature in the refrigerator recorded twice daily?	Yes <input type="checkbox"/> No <input type="checkbox"/>
35. Is the temperature taken at the center of the refrigerator?	Yes <input type="checkbox"/> No <input type="checkbox"/>
36. Check the temperature in the refrigerator and compare it with the recorded morning temperature on that day. Are the temperatures within the recommended range (+2 ^o to +8 ^o C)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
37. Have vaccines been correctly placed on refrigerator shelves (polio, mumps, measles, rubella vaccines – on the upper shelf; BCG – on the middle shelf; DPT, DT, Td, immunoglobulins, bacteriophages, vaccine dilutants – on the lower shelf)?	Yes <input type="checkbox"/> No <input type="checkbox"/>
38. Are there ice packs (3-4) for vaccine carriers in the freezer?	Yes <input type="checkbox"/> No <input type="checkbox"/>
39. Are vaccines stored properly during power cut-offs? (There is no need for special storage conditions if power is cut off for less than 8 hours a day.) During a cut-off period a refrigerator should not be opened. Are vaccines stored properly in case of absence of a refrigerator at the FAP?	Yes <input type="checkbox"/> No <input type="checkbox"/>

* Sample several age groups (two to three) and check with record book 1.1.

** Check correctness of all age groups, if even one is not correct, the answer is "No."

*** Random sample from the boxes where forms 063 are kept for various age groups (pick two to three) and check against form 112 and record book 1.4 to see if the data about performed immunizations is entered into all recording forms (063, 112, 1.4) during the same day, and if the immunization information (date, type of vaccine, or refusal/contraindications) on all these forms are the same. If any of the information does not coincide, the answer is "No."

The person doing the (self-) monitoring should carefully consider each question in the checklist and respond as to whether the condition has been met or not. Where the condition has been met (“Yes”), no further clarification is needed. If a condition has not been met or has been only partially fulfilled (“No”), one should indicate exactly what is wrong and recommend how to correct the problem. Depending on the difficulty of meeting certain conditions, one should decide whether advisory assistance from central rayon specialists is needed and when the next evaluation will take place. A table presented on the next page can facilitate such analysis.

Note: All polyclinics should be evaluated each year. The polyclinic chief should perform the evaluation together with an immunologist. An epidemiologist (or assistant epidemiologist) should use the data from the evaluation checklist during subsequent evaluations. He/she will verify the reliability of selected responses to individual questions in districts that have both unsatisfactory and good indicators. Verification will be done at every pediatric and/or therapeutic district.

In order to fairly evaluate the performance of immunization workers, workers must be adequately trained. Current evaluations should be analyzed to reveal gaps in worker knowledge and skills, and training targeted to these gaps. Subsequent evaluations should be studied to make sure these gaps are narrowing or have disappeared completely.

Evaluation of the Work of Immunization Facilities

Health Facility	Date of Visit	Number of Questions in the Checklist																				Notes
		1	2	3	4	5	6	7	8	9	31	32	33	34	35	36	37	38	39	
FAP-1	2/1/2004	+	+	+	+	+	+	+	+	+			+	+	+	+	+	+	+	--	+	
FAP-2	2/2/2004	+	+	+	+	+	--	+	+	+			--	+	+	+	+	+	+	--	+	
VDA	2/3/2004	+	+	+	+	+	--	+	+	+			--	+	+	--	--	--	+	+	+	
TOTAL	No. of answers	3	3	3	3	3	1	3	3	3			1	3	3	2	2	2	3	1	3	
	% of answers "YES"	100	100	100	100	100	33	100	100	100			33	100	100	66	66	66	100	33	100	